



#### 80032-FULL/QUEEN BED https://youtu.be/RSwZDuyMSD8

Scan QR Code for Assembly Instruction video or call customer service for video file.

IMPORTANT: PLEASE READ INSTRUCTION BEFORE STARTING THE ASSEMBLY.

"DO NOT TIGHTEN SCREWS UNTIL COMPLETELY ASSEMBLED"

"DO NOT OVERTIGHT ANY HARDWARE"

WARNING: SMALL PARTS AND HARDWARE NOT FOR CHILDREN UNDER 3 YEARS. ADULT ASSEMBLY REQUIRED.

TABLE OF CONTENTS		
HARDWARES LIST	PAGE 2	
PARTS LIST	PAGE 3	
PARTS' LOCATION	PAGE 4	
ASSEMBLY STEPS	PAGE 5 - 8	
ASSEMBLY COMPLETED	PAGE 9	

## ASSEMBLY TOOLS REQUIRED

1. Screwdriver (not provide)

2. Hammer (not provide)

#### **ATTENTION**

#### 1. Box Spring Requirement for Standard Bed Frames:

Please note that our standard bed frames are designed to be used with a box spring. Ensure that you have a suitable box spring for optimal performance.

#### 2. Two-Person Installation Recommendation:

We strongly recommend that two people collaborate to install the repair kit. This ensures efficiency and safety during the installation process.

#### 3. Regular Screw Tightness Check:


As part of regular maintenance, it is advised to check the tightness of all screws every 6-8 weeks. This helps maintain the stability and durability of your bed frame.


#### HARDWARES LIST ITEM **DESCRIPTION DRAWING** QTY JCBC SCREW M8 x 20MM Α 8 PCS В 8 PCS JCBC SCREW M6 x 25MM С 16 PCS JCBC SCREW M6 x 35MM G SPRING WASHER M6 x 13MM 24 PCS 24 PCS FLAT WASHER M6 x 19MM Η CSK C/B SCREW (M4 x 32MM) 8 PCS I 1 PC M5 ALLEN KEY (65MM) J M4 ALLEN KEY (100MM) 1 PC Κ SUPPORT LEG 4 PCS L ADJUSTABLE FEET


<sup>\*</sup>Additional hardware included


PARTS LIST			
ITEM	DESCRIPTION	DRAWING	QTY
6	SIDE RAIL (L)		2 PCS
7	SIDE RAIL (R)		2 PCS
8	SIDE RAIL SUPPORT		4 PCS
9	SIDE RAIL LEG		2 PCS
20	SLAT		4 PCS
21	SUPPORT LEG WITH HANGER BOLT		4 PCS

### **PARTS' LOCATION**













Please follow the instructions from step 4 to step 8
to disassemble the existing bed in order to replace the repair kits.







# REMOVE THE EXISTING SIDE RAIL SET, AND THEN REPLACE IT WITH THE NEW SIDE RAIL SET.










STEP 8



# **IMPORTANT**

**Discarding Original Components:** 

After successfully installing the repair kit, please discard the original components. This ensures that the bed frame operates according to the latest specifications.