

# 80055-KING BED REPAIR KITS ASSEMBLY INSTRUCTION



80055-KING BED <https://youtu.be/z6HcB8cofZ8>

Scan QR Code for Assembly Instruction video or call customer service for video file.

**IMPORTANT : PLEASE READ INSTRUCTION BEFORE STARTING THE ASSEMBLY.**

**"DO NOT TIGHTEN SCREWS UNTIL COMPLETELY ASSEMBLED"**

**"DO NOT OVERTIGHT ANY HARDWARE"**


**WARNING : SMALL PARTS AND HARDWARE NOT FOR CHILDREN UNDER 3 YEARS. ADULT ASSEMBLY REQUIRED.**

## TABLE OF CONTENTS


HARDWARES LIST	PAGE 2
PARTS LIST	PAGE 3
PARTS' LOCATION	PAGE 4
ASSEMBLY STEPS	PAGE 5 - 8
ASSEMBLY COMPLETED	PAGE 9

## ASSEMBLY TOOLS REQUIRED

### 1. Screwdriver (not provide)



### 2. Hammer (not provide)



## ATTENTION

### 1. Box Spring Requirement for Standard Bed Frames:

Please note that our standard bed frames are designed to be used with a box spring. Ensure that you have a suitable box spring for optimal performance.

### 2. Two-Person Installation Recommendation:









We strongly recommend that two people collaborate to install the repair kit. This ensures efficiency and safety during the installation process.

### 3. Regular Screw Tightness Check:

As part of regular maintenance, it is advised to check the tightness of all screws every 6-8 weeks. This helps maintain the stability and durability of your bed frame.

# 80055-KING BED REPAIR KITS ASSEMBLY INSTRUCTION






## HARDWARES LIST

ITEM	DESCRIPTION	DRAWING	QTY
A	JCBC SCREW M8 x 20MM		8 PCS
B	JCBC SCREW M6 x 25MM		8 PCS
F	SPRING WASHER M6 x 13MM		8 PCS
G	FLAT WASHER M6 x 19MM		8 PCS
H	CSK C/B SCREW (M4 x 32MM)		8 PCS
J	M5 ALLEN KEY (65MM)		1 PC
K	M4 ALLEN KEY (65MM)		1 PC
L	SUPPORT LEG ADJUSTABLE FEET		8 PCS

\*Additional hardware included


# 80055-KING BED REPAIR KITS ASSEMBLY INSTRUCTION

## PARTS LIST

ITEM	DESCRIPTION	DRAWING	QTY
8	SIDE RAIL (L)		2 PCS
9	SIDE RAIL (R)		2 PCS
10	SIDE RAIL LEG		2 PCS
21	SLAT		4 PCS
22	SUPPORT LEG WITH HANGER BOLT		8 PCS


# 80055-KING BED REPAIR KITS ASSEMBLY INSTRUCTION

## PARTS ' LOCATION




## 80055-KING BED REPAIR KITS ASSEMBLY INSTRUCTION

**STEP 1** Please follow the instructions from  
step 1 to step 2 to assemble the repair kits.




### STEP 2



## 80055-KING BED REPAIR KITS ASSEMBLY INSTRUCTION


### STEP 3

Please follow the instructions from step 3 to step 7 to disassemble the existing bed in order to replace the repair kits.



### STEP 4


**REMOVE THE SCREW**




## 80055-KING BED REPAIR KITS ASSEMBLY INSTRUCTION

### STEP 5

REMOVE THE EXISTING SIDE RAIL SET, AND THEN REPLACE IT WITH THE NEW SIDE RAIL SET.




### STEP 6




## 80055-KING BED REPAIR KITS ASSEMBLY INSTRUCTION

### STEP 7



### STEP 8




**BOX SPRING REQUIRED**  
**(NOT INCLUDED)**



## 80055-KING BED REPAIR KITS ASSEMBLY INSTRUCTION

### STEP 9



MATTRESS NOT INCLUDED

ASSEMBLY COMPLETED

### **IMPORTANT**

Discarding Original Components:

After successfully installing the repair kit, please discard the original components. This ensures that the bed frame operates according to the latest specifications.